SAYING NO

Saying No Worksheet: 6 Free Printable Exercises

Published July 1, 2026 Updated November 2, 2026 10 min read



Reviewed by **Andrea Barthwell, M.D., D.F.A.S.A.M.** | Addiction Medicine Specialist | Medical Reviewer

A saying no worksheet is a set of written exercises that help you catch your automatic yes, see what it costs you, and practice a no you can actually say. This page has six: an automatic-yes log, a cost-of-yes ledger, a no-script builder, a graded no ladder, an after-no guilt log, and a weekly no review.

Most advice about saying no stops at the pep talk. Be firm. Value your time. Remember that no is a complete sentence. All true, and none of it helps at the exact moment your boss leans in the doorway and your mouth is already forming the word “sure.” A saying no worksheet closes that gap. Instead of one more thing to understand, it gives you something to do on paper, so the new response has a chance to exist before the old one fires.

This page walks through six exercises you can work through alone or bring to a therapist. They build on each other, so starting from the top is the easiest path. If you want the wider picture of why declining is so hard, the saying no guide (/saying-no/) covers the psychology and the scripts. This one is about putting a pen to it.

Why a saying no worksheet actually helps

Knowing you say yes too much has never once, on its own, made anyone say no. If insight were enough, every self-aware people pleaser would have fixed this years ago. The thing that bridges knowing and doing is structured practice, and that is exactly what a worksheet is for.

Writing forces you to get specific. It is easy to think "I overcommit at work." It is harder, and far more useful, to write "When a coworker asks me to cover a shift, I say yes within two seconds because I am scared she will think I am not a team player." The second version hands you something to work with. The first just makes you feel vaguely bad.

Writing also builds a record. Track your yeses for a couple of weeks and patterns surface on their own. You might find you fold almost entirely with authority figures and barely at all with close friends. Or that guilt, not fear of conflict, is the fuel. Or that Mondays are your worst day because that is when the week's requests land. Those specifics tell you where to aim.

If you are not sure how deep the habit runs, the People Pleaser Test (/quiz/people-pleasing/) gives you a quick baseline before you start.

Exercise 1: The automatic-yes log

This is your starting point, and it is pure observation. Over the next week, note every time you say yes when part of you wanted to say no, agree when you privately disagreed, or take something on to keep someone from being disappointed. Use this format for each one:

The request: What were you asked? Who asked?

What I said: How did the yes come out? How fast?

What I actually wanted: What would you have said if you felt completely safe?

What I was afraid of: What did you picture happening if you declined?

How I felt after: Relieved? Resentful? Flat? Drained?

Do not try to change anything this week. Just catch and record. The goal is data, not transformation. Most people are startled by how many times a day they override their own preference to manage someone else's mood.

Here is a sample entry:

The request: A friend asked me to help her move on Saturday.

What I said: “Of course, what time?” before she even finished the sentence.

What I actually wanted: To say no. Saturday is my one open day this month.

What I was afraid of: She would think I am flaky, or not a real friend.

How I felt after: Annoyed at myself. Already dreading it.


At the end of the week, read your entries and circle the ones that still sting. Those are where you start.

Exercise 2: The cost-of-yes ledger

Every yes you did not mean has a price, and people pleasers are very good at not counting it. This exercise makes the tab visible. Take the entries you circled and, for each one, fill in two columns.

Column one: what the yes bought me. Be honest. There are real payoffs. The other person stayed happy. You dodged a moment of tension. You felt briefly safe and useful. You got a little praise. None of that is imaginary, and pretending it is will not help you.

Column two: what the yes cost me. Also be honest. Lost time. A weekend you wanted back. Resentment that leaked into the next three conversations. Sleep. A quiet lesson taught to the other person that your limits are optional. A small chip off your own self-respect.



When both columns sit side by side, something usually shifts. The costs tend to outweigh the payoffs, and the payoffs are nearly always short-term while the costs compound. Seeing that on paper is more persuasive than any amount of self-talk, because you wrote the evidence yourself.

Exercise 3: The no-script builder

Now you practice the skill itself. Pick three situations from your log where you want a different outcome next time. For each one, write out four lines:

The situation: Keep it specific and real.

My old response: What usually falls out of my mouth.

My new response: What I want to say instead.

My backup: If they push, what comes next.

A good no has three qualities. It is clear, so the person knows you are declining and not stalling. It is brief, so you are not burying it under apology. And it is warm without wavering. Some

templates to build from:

For requests on your time: “I can’t take that on right now. I hope it goes well.”

For a favor that crosses a line: “That one is a no for me, but I am happy to help you think of another option.”

For the push after your first no: “My answer hasn’t changed.”

Notice that none of these come with a paragraph of justification. People pleasers over-explain because they feel they owe a defense. You do not. A reason is optional context, not evidence submitted for a verdict. Say your new lines out loud a few times before you need them. It sounds silly, but your voice needs the reps as much as your resolve does. The first real “I can’t do that” lands far easier when your mouth has already shaped the words a dozen times at the bathroom mirror.

For a much wider bank of phrasings, 25+ ways to say no (/saying-no/scripts/) sorts scripts by exactly who is asking.

Exercise 4: The graded no ladder

You would not deadlift your bodyweight on day one, and you should not start your no practice with the hardest person in your life either. This exercise borrows from exposure therapy: you build the muscle in low stakes first, then climb.

Draw a ladder with five rungs. On the bottom rung, put the easiest possible no, the kind that barely registers. Declining a free sample. Telling a telemarketer no thanks and hanging up. On the top rung, put the no you most dread saying, to the person whose disappointment costs you the most. Fill the middle three rungs with declines of rising difficulty.

Then work upward, one rung at a time, and do not climb until the current rung feels routine. The point is not speed. It is teaching your nervous system, through repeated small proof, that a no can leave your mouth and the world stays standing. By the time you reach the top rung, you are not relying on courage. You are relying on evidence you gathered yourself.

Exercise 5: The after-no guilt log

Saying no is half the work. The other half is surviving how you feel afterward without taking it back. This log is for the hours after a hard no, when the urge to text “actually, never mind, I can do it” is loudest.

Each time you decline something that matters, write down four things:

1. What I said no to.
2. How strong the guilt was, on a scale of one to ten.
3. What the guilt was telling me. (“They think I’m selfish now.”)
4. What actually happened over the next day.

Almost every time, the gap between column three and column four is enormous. The guilt predicted rupture; the reality was a shrug and a moving-on. Logging that gap over and over retrains the alarm. Guilt after a no is usually a leftover from old conditioning that taught you no equals bad person, not a signal that you did something wrong. If it keeps hitting hard, saying no without guilt (/saying-no/without-guilt/) goes deeper on where that reflex comes from and how to loosen it.

Exercise 6: The weekly no review

Do this one every Sunday for at least four weeks. It takes ten minutes and it is the thread that ties the other five together. Answer in writing:

1. How many times did I say a yes I didn't mean this week?
2. How many times did I catch it and choose no instead?
3. What was the hardest no I said, or the one I wish I had?
4. What did I learn about my own pattern?

The value is in the trend, not any single week. Week one you might catch yourself zero times. By week four you might be catching three or four, even while you still fold constantly. That is real progress, because awareness always arrives before change does. If you want to turn this review into a longer rebuild, how to stop saying yes to everything (/saying-no/stop-saying-yes/) lays out the fuller arc.

When a worksheet isn't enough

Worksheets are a tool, not a cure. If your inability to say no is rooted in childhood trauma, an unsafe relationship, or anxiety that shows up in your body, paper alone will not resolve it. It can sit alongside therapy beautifully, but it should not stand in for it.

Signs you may need more support:

- You can see the pattern clearly but feel physically unable to break it (shaking, nausea, or panic when you try to decline).
- The hardest no is tied to one specific relationship that does not feel safe.
- You have been working at this for months with no shift at all.
- Setting even a small limit triggers intense shame or self-blame that does not fade.

A therapist who works with codependency (/codependency/) or boundary issues can reach the roots a worksheet cannot. That is not a failure on your part. It is recognizing that some patterns need more than paper to come loose.

How to actually use these exercises

Print them, or open a dedicated note on your phone. Do not try to run all six in one sitting. Start with the automatic-yes log and give it a full week before moving on. Let each exercise have a few days of your attention rather than rushing the set.

The people who get the most out of a saying no worksheet treat it as an ongoing practice, not a one-afternoon project. The habit did not form overnight, and it will not dissolve overnight. But it does shift, slowly and then all at once, if you keep showing up and doing the reps.

When you are ready to see which pattern drives your particular version of this, the Boundary Style Quiz (/quiz/) points you to the guides that fit you best. And if worksheets are your thing, the people pleasing worksheet (/people-pleasing/worksheet/) and the boundaries worksheets (/boundaries/worksheets/) run the same play on their own corners of the habit.

Frequently asked questions

Can I use a saying no worksheet without a therapist?

Yes. These exercises are built to be self-guided, and many people make real progress on their own. A therapist helps most when your difficulty saying no is tied to trauma, an unsafe relationship, or anxiety that feels physical. If you do see one, bringing your completed pages gives them a clear map of your patterns.

How long before a saying no worksheet changes anything?

Most people notice sharper awareness within the first week, just from tracking. Catching yourself mid-yes and choosing differently usually starts around week two or three. Lasting change in your default response tends to take two to three months of steady practice. The worksheet speeds it up, but it does not skip the reps.

What if writing it down makes me feel worse?

That is common and expected. When you start counting how often you say yes against your own wishes, the number can be discouraging. That discomfort is the awareness arriving, not evidence you are failing. It is the first thing that has to happen before the habit can shift.

More worksheets and workbooks

If this one helped, the other practice pages here work the same way, one skill at a time:

- People pleasing worksheet (/people-pleasing/worksheet/): catch the yes-when-you-mean-no habit and trace where it started.
- Setting boundaries worksheet (/boundaries/worksheets/): name your real limits and plan the conversation that protects them.
- Codependency worksheets (/codependency/worksheets/): sort out whose feelings are whose and where you end.
- Assertiveness workbook (/assertiveness/workbook/): a longer, module-by-module build for speaking up over several weeks.

Content reviewed by Dr. Barthwell, addiction medicine specialist. This article is for informational purposes only and is not a substitute for professional therapy or counseling.

This content is for informational purposes only and is not a substitute for professional medical advice, diagnosis, or treatment. Always seek the advice of a qualified health provider with any questions you may have regarding a medical condition.